

(d) render the one or more machine-generated objects ~~such that a size using the determined size and an inter-word spacing of for~~ the machine-generated object or objects ~~is substantially equal to the determined original size and an original inter-word spacing of~~ the electronic ink input.

16. (Currently Amended) A system according to claim 15, wherein the electronic ink input includes electronic ink text input and the one or more machine-generated objects includes machine-generated text, wherein said determine the size of the one or more machine-generated objects constitutes determine a font size of the machine-generated text ~~to be substantially equal in size to the original electronic ink input.~~

17. (Currently Amended) A system according to claim 16, wherein the input is further adapted to receive a selection of one or more words from the rendered machine-generated text, and wherein the processor is further ~~programmed and~~ adapted to display the electronic ink text input corresponding to the selected machine-generated text and to display machine-generated text alternatives corresponding to the selected one or more words.

18. (Original) A system according to claim 17, wherein the input is further adapted to receive a selection of a displayed machine-generated text alternative, and the processor is further programmed and adapted to replace the selected rendered machine-generated text with the selected displayed machine-generated text alternative.

19. (Currently Amended) A computer-readable memory medium including computer-executable instructions stored thereon which when executed by a processor perform for performing a method, the method comprising:

receiving electronic ink input;

converting the electronic ink input to one or more machine-generated objects;

~~determining an original size of the electronic ink input;~~

obtaining the received electronic ink input and determining a size of the one or more machine-generated objects based on the determined original size by calculating a maximum height of the corresponding electronic ink input and setting the size of the one or more machine-generated objects to be equivalent in scale for the calculated maximum height;

~~rendering the one or more machine-generated objects such that a using the determined size and an inter word spacing of the rendered for the machine-generated object or objects is substantially equal to the determined original size and an original inter-word spacing of the electronic ink input.~~

20. (Currently Amended) A computer-readable memory medium according to claim 19, wherein the electronic ink input includes electronic ink text input and the one or more machine-generated objects includes machine-generated text, wherein said step of determining the size of the one or more machine-generated objects constitutes determining a font size of the machine-generated text ~~to be substantially equal in size to the original electronic ink input.~~

21. (Previously Presented) The method of claim 1, wherein said step of rendering comprises:

rendering the one or more machine-generated objects such that a word positioning of the rendered machine-generated object or objects substantially corresponds to an original word positioning of the electronic ink input.

22. (Currently Amended) The system of claim 15, wherein said processor ~~is further programmed and adapted to render~~ renders the one or more machine-generated objects such that a word positioning of the rendered machine-generated object or objects substantially corresponds to ~~an original~~ a word positioning of the electronic ink input.

23. (Currently Amended) The computer-readable memory medium of claim 19, wherein said step of rendering comprises:

rendering the one or more machine-generated objects such that a word positioning of the rendered machine-generated object or objects substantially corresponds to ~~an original~~ a word positioning of the electronic ink input.

24-26. (Cancelled)

27. (Previously Presented) The method of claim 1, wherein said electronic ink input is a table, and said inter-word spacing is a corresponding table column-spacing.

28. (Previously Presented) The system of claim 15, wherein said electronic ink input is a table, and said inter-word spacing is a corresponding table column-spacing.

29. (Currently Amended) The computer-readable memory medium of claim 19, wherein said electronic ink input is a table, and said inter-word spacing is a corresponding table column-spacing.

30. (Previously Presented) The method of claim 1, further comprising:  
normalizing said inter-word spacing in response to a user-generated normalization command.

31. (Currently Amended) The system of claim 15, wherein said processor is ~~further configured to normalize~~ normalizes said inter-word spacing in response to a user-generated normalization command.

32. (Currently Amended) The computer-readable memory medium of claim 19, further comprising:  
normalizing said inter-word spacing in response to a user-generated normalization command.